MERCHANT API · V1.0.0

Black Arrow Merchant API

Create orders and track them from your own store or ERP.

Contents

1. Overview
2. Base URL
3. Authentication
4. Quick start
5. Retries and idempotency
6. Staying up to date
7. Order statuses
8. Errors
9. Rate limits
10. Getting started
    a. Check your API key
11. Orders
    a. Create an order
    b. List orders
    c. Track orders
    d. Mark orders ready for pickup
    e. Get an order
    f. Download a shipping label
    g. Cancel an order
12. Reference
    a. List order statuses
    b. List cities
    c. List delivery areas
    d. List pickup addresses

1. Overview

The Merchant API lets your system book Black Arrow deliveries and follow them to the door. It covers orders only. Payouts, settlements, pickup addresses and account settings stay in the merchant dashboard.

Every request is authenticated with an API key from **Settings ▸ API keys**, sent as `Authorization: Bearer <key>`. Every write (`POST`) needs an `Idempotency-Key` header. All timestamps are ISO 8601 in UTC. Money is in **whole rupees**.

2. Base URL

Every path in this guide is relative to:

```
https://api.blackarrow.com.pk/api/v1
```

3. Authentication

Create a key in the dashboard under **Settings ▸ API keys**. Only the account owner can do this. The key is shown once, so copy it into your server's secret store straight away. Black Arrow can also issue a key for you; ask your account manager.

An API key from Settings ▸ API keys, sent as `Authorization: Bearer ba_live_…`. Keys do not expire. Revoke one in the dashboard and it stops working on the next request.

```
Authorization: Bearer ba_live_xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx
```

Keep keys on your server. A key in a browser, mobile app or public repository lets anyone book orders on your account. If one leaks, revoke it and create another.

4. Quick start

Three calls take an order from your system to a rider's pickup list.

Check the key.

```
curl https://api.blackarrow.com.pk/api/v1/me \
  -H "Authorization: Bearer $BLACK_ARROW_KEY"
```

Create the order. Keep the `tracking_number` from the response.

```
curl -X POST https://api.blackarrow.com.pk/api/v1/orders \
  -H "Authorization: Bearer $BLACK_ARROW_KEY" \
  -H "Idempotency-Key: SO-1001" \
  -H "Content-Type: application/json" \
```

```
  -d '{
    "merchant_ref": "SO-1001",
    "recipient_name": "Ayesha Khan",
    "recipient_phone": "03001234567",
    "delivery_address": "House 12, Street 4, DHA Phase 5, Lahore",
    "payment_type": "cod",
    "cod_amount": 2500
  }'
```

Mark it ready once it is packed and labelled. A rider is then sent to collect it.

```
curl -X POST https://api.blackarrow.com.pk/api/v1/orders/ready \
  -H "Authorization: Bearer $BLACK_ARROW_KEY" \
  -H "Idempotency-Key: ready-2026-10-05-1" \
  -H "Content-Type: application/json" \
  -d '{"tracking_numbers": ["BA26-K7Q2M9X"]}'
```

5. Retries and idempotency

A unique value per logical write; your own order id works well. A retry with the same key and body replays the original response, with `Idempotent-Replay: true`. The same key with a different body gets `409 idempotency_key_reused`. Keys are remembered for 24 hours.

If a request times out, send it again with the **same** key and the same body. You either get the original response, so no duplicate is booked, or `409 idempotency_request_in_flight` if the first one is still running; wait a second and retry. A failed request (any 4xx or 5xx) is not remembered, so you can fix it and retry with the same key.

6. Staying up to date

Poll with Track orders, which takes up to 100 tracking numbers per call. Every 15 to 30 minutes is plenty; a parcel rarely changes status more often than that. Once an order reaches a final status (`delivered`, `returned`, `cancelled` or `lost`), stop polling it.

Payment and settlement details are not part of the API. See payouts in the dashboard under **Payouts** and **Statement**.

7. Order statuses

`status` is always one of these. New values may be added; existing ones are never renamed or removed within v1, so treat an unknown value as "in progress".

Status	Meaning
`created`	Booked. Still with you; mark it ready when it is packed.
`ready_for_pickup`	Packed and waiting for a rider to collect it.
`picked_up`	Collected from you by a rider.
`at_hub`	At our hub, waiting to go out for delivery.
`out_for_delivery`	With a rider on the way to the customer.
`delivery_attempted`	The rider could not deliver. See the timeline reason; it may be retried or returned.
`on_hold`	Paused, usually for an address or phone problem. Our team will contact you or the customer.
`delivered`	Delivered to the customer. Final.
`returning`	Not delivered and on its way back to you.
`returned`	Handed back to you. Final.
`cancelled`	Cancelled by you before pickup.
`lost`	Lost in our custody. Final; you are compensated per your agreement.

8. Errors

Every error has the same shape. Branch on `error.code`; `error.message` is written to be shown to a person.

```
{
  "error": {
    "code": "validation_failed",
    "message": "The request could not be validated.",
    "details": {
      "recipient_phone": [
        "Enter a Pakistani mobile number, for example 0300 1234567."
      ]
    }
```

```
  }
}
```

HTTP	Code	What to do
400	`idempotency_key_required`	Add an Idempotency-Key header to the write.
401	`invalid_api_key`	The key is missing, wrong or revoked. Check Settings ▸ API keys.
403	`merchant_pending_not_verified`	Your account is awaiting verification and cannot hand orders over yet.
404	`not_found`	No such order on your account. Check the tracking number.
409	`idempotency_key_reused`	The key was used before with a different body. Use a new key for a new request.
409	`idempotency_request_in_flight`	The same request is still running. Retry in a second.
409	`order_not_cancellable`	The parcel has been picked up and can no longer be cancelled.
422	`validation_failed`	Fix the fields named in error.details and retry.
422	`merchant_pending_order_limit`	Your account is awaiting verification and has reached its order limit.
429	`rate_limited`	Wait for Retry-After seconds, then retry.

9. Rate limits

Each key can make 120 requests a minute. Over that you get `429 rate_limited` with a `Retry-After` header giving the seconds to wait. Use bulk tracking instead of one request per order and you will not come close.

10. Getting started

Check that your key works.

Check your API key

`GET` `/me`

Returns the merchant and key name behind the key you sent. Make this your first call.

Example request

```
curl "https://api.blackarrow.com.pk/api/v1/me" \
  -H "Authorization: Bearer $BLACK_ARROW_KEY"
```

Example response (200)

```
{
  "data": {
    "merchant": {
      "name": "Khaadi"
    },
    "api_key": {
      "name": "ERP",
      "prefix": "ba_live_7Kq2"
    }
  }
}
```

Responses

`200`	The key is valid.
`401`	Missing, unknown or revoked API key.
`429`	More than 120 requests in a minute on this key. Wait for `Retry-After` seconds.

11. Orders

Book, track, hand over and cancel orders.

Create an order

`POST` `/orders`

Books a delivery and returns its tracking number. The order starts as `created`. Mark it ready with **Mark orders ready** when it is packed, and a rider is sent to collect it.

Use your own order id as the `Idempotency-Key`. A retry with the same key and body returns the original order instead of booking a second one.

Parameters

Field	In	Type	Required	Description
`Idempotency-Key`	header	string	Yes	A unique value per logical write; your own order id works well. A retry with the same key and body replays the original response, with `Idempotent-Replay: true`. The same key with a different body gets `409 idempotency_key_reused`. Keys are remembered for 24 hours. Up to 255 characters.

Request body (JSON)

Field	Type	Required	Description
`merchant_ref`	string	Yes	Your order number. Shown on the label and in your settlements, so you can reconcile. Up to 100 characters.
`recipient_name`	string	Yes	Up to 120 characters.
`recipient_phone`	string	Yes	A Pakistani mobile number in any common format: `03001234567`, `0300 1234567` or `+923001234567`. Up to 30 characters.
`delivery_address`	string	Yes	The full address as the customer gave it. Up to 2000 characters.
`landmark`	string | null	No	Up to 200 characters.

Field	Type	Required	Description
`notes`	string | null	No	For the rider, about the customer, e.g. "third floor, no lift". What is in the parcel goes in `package_description`. Up to 1000 characters.
`location_url`	string | null	No	A Google Maps or WhatsApp location link for the door, if you have one. Up to 500 characters.
`area_id`	integer | null	No	From **List delivery areas**. Optional.
`city`	string | null	No	Optional. The delivery city by name, from **List cities** (case does not matter). If sent, it must be a city you can book in, or the order is refused with a `422` on `city`. Leave it out and the order goes to your own city. Up to 100 characters.
`payment_type`	string	Yes	One of: `cod`, `prepaid`.
`cod_amount`	integer	Yes	Whole rupees to collect from the customer: `2500` means Rs 2,500. Must be more than 0 for `cod` and exactly 0 for `prepaid`. 0 to 10000000.
`package_description`	string | null	No	Up to 255 characters.
`weight_grams`	integer | null	No	Defaults to your account's usual weight. 1 to 100000.
`pieces`	integer | null	No	1 to 99. Default `1`.
`pickup_address_id`	integer | null	No	From **List pickup addresses**. Defaults to your default pickup address.

Example request

```
curl -X POST "https://api.blackarrow.com.pk/api/v1/orders" \
  -H "Authorization: Bearer $BLACK_ARROW_KEY" \
  -H "Idempotency-Key: SO-1001" \
  -H "Content-Type: application/json" \
  -d '{
  "merchant_ref": "SO-1001",
  "recipient_name": "Ayesha Khan",
  "recipient_phone": "0300 1234567",
  "delivery_address": "House 12, Street 4, DHA Phase 5, Lahore",
  "city": "Lahore",
  "landmark": "Near Park View",
  "notes": "Call from the gate",
  "payment_type": "cod",
  "cod_amount": 2500,
  "package_description": "2x cotton kurta",
```

```
  "weight_grams": 800,
  "pieces": 1
}'
```

Example response (201)


```
{
  "data": {
    "tracking_number": "BA26-K7Q2M9X",
    "merchant_ref": "SO-1001",
    "status": "created",
    "status_label": "Created",
    "payment_type": "cod",
    "cod_amount": 2500,
    "delivery_fee": 180,
    "recipient": {
      "name": "Ayesha Khan",
      "phone": "03001234567",
      "address": "House 12, Street 4, DHA Phase 5, Lahore",
      "landmark": "Near Park View",
      "notes": "Call from the gate",
      "location_url": null
    },
    "area_id": 42,
    "package_description": "2x cotton kurta",
    "weight_grams": 800,
    "pieces": 1,
    "attempts": {
      "made": 0,
      "max": 3
    },
    "tracking_url": "https://blackarrow.com.pk/track/BA26-K7Q2M9X",
    "created_at": "2026-10-05T07:12:00Z",
    "delivered_at": null,
    "timeline": [
      {
        "status": "created",
        "label": "Created",
        "reason": null,
        "at": "2026-10-05T07:12:00Z"
      }
    ]
  }
}
```

Responses

`201`	Booked.
`400`	The write had no Idempotency-Key header.
`401`	Missing, unknown or revoked API key.
`409`	The Idempotency-Key was already used with a different body (`idempotency_key_reused`), or an identical request is still running (`idempotency_request_in_flight` ; retry shortly).
`422`	Validation failed, or your account is pending verification and has reached its order limit.
`429`	More than 120 requests in a minute on this key. Wait for `Retry-After` seconds.

List orders

`GET` `/orders`

Your orders, newest first, with cursor pagination. To follow the next page, pass `meta.next_cursor` back as `cursor` . `next_cursor` is null on the last page. The timeline is not included here; use **Track orders** for that.

Parameters

Field	In	Type	Required	Description
`status`	query	string	No	Only orders currently in this status. One of: `created` , `ready_for_pickup` , `picked_up` , `at_hub` , `out_for_delivery` , `delivery_attempted` , `on_hold` , `delivered` , `returning` , `returned` , `cancelled` , `lost` .
`merchant_ref`	query	string	No	Only orders with this reference of yours. Up to 100 characters.
`created_from`	query	string (date)	No	Created on or after this date (Asia/Karachi).
`created_to`	query	string (date)	No	Created on or before this date (Asia/Karachi). The range can cover at most 31 days.
`per_page`	query	integer	No	1 to 100. Default `50` .
`cursor`	query	string	No	`meta.next_cursor` from the previous page.

Example request

```
curl "https://api.blackarrow.com.pk/api/v1/orders" \
```

```
  -H "Authorization: Bearer $BLACK_ARROW_KEY"
```

Example response (200)


```
{
  "data": [
    {
      "tracking_number": "BA26-K7Q2M9X",
      "merchant_ref": "SO-1001",
      "status": "out_for_delivery",
      "status_label": "Out for delivery",
      "payment_type": "cod",
      "cod_amount": 2500,
      "delivery_fee": 180,
      "recipient": {
        "name": "Ayesha Khan",
        "phone": "03001234567",
        "address": "House 12, Street 4, DHA Phase 5, Lahore",
        "landmark": "Near Park View",
        "notes": "Call from the gate",
        "location_url": null
      },
      "area_id": 42,
      "package_description": "2x cotton kurta",
      "weight_grams": 800,
      "pieces": 1,
      "attempts": {
        "made": 0,
        "max": 3
      },
      "tracking_url": "https://blackarrow.com.pk/track/BA26-K7Q2M9X",
      "created_at": "2026-10-05T07:12:00Z",
      "delivered_at": null
    }
  ],
  "meta": {
    "per_page": 50,
    "next_cursor": "eyJpZCI6MTIzNCwiX3BvaW50c1RvTmV4dEl0ZW1zIjp0cnVlfQ"
  }
}
```


Responses

`200`	A page of orders.
`401`	Missing, unknown or revoked API key.

422	A parameter was missing or invalid. `details` names each field.
429	More than 120 requests in a minute on this key. Wait for `Retry-After` seconds.

Track orders

`GET` `/orders/track`

Up to 100 orders in one call, each with its timeline. A polling integration should use this instead of one request per order. Numbers that are not yours, or do not exist, come back in `not_found`.

Parameters

Field	In	Type	Required	Description
`tracking_numbers`	query	string	Yes	Comma-separated, at most 100.

Example request

```
curl "https://api.blackarrow.com.pk/api/v1/orders/track?tracking_numbers=BA26-K7Q2M9X,BA26-P3R8T1V" \
  -H "Authorization: Bearer $BLACK_ARROW_KEY"
```

Example response (200)

```
{
  "data": [
    {
      "tracking_number": "BA26-K7Q2M9X",
      "merchant_ref": "SO-1001",
      "status": "out_for_delivery",
      "status_label": "Out for delivery",
      "payment_type": "cod",
      "cod_amount": 2500,
      "delivery_fee": 180,
      "recipient": {
        "name": "Ayesha Khan",
        "phone": "03001234567",
        "address": "House 12, Street 4, DHA Phase 5, Lahore",
        "landmark": "Near Park View",
        "notes": "Call from the gate",
        "location_url": null
      },
      "area_id": 42,
      "package_description": "2x cotton kurta",
```

```
      "weight_grams": 800,
      "pieces": 1,
      "attempts": {
        "made": 0,
        "max": 3
      },
      "tracking_url": "https://blackarrow.com.pk/track/BA26-K7Q2M9X",
      "created_at": "2026-10-05T07:12:00Z",
      "delivered_at": null,
      "timeline": [
        {
          "status": "created",
          "label": "Created",
          "reason": null,
          "at": "2026-10-05T07:12:00Z"
        },
        {
          "status": "ready_for_pickup",
          "label": "Ready for pickup",
          "reason": null,
          "at": "2026-10-05T09:00:00Z"
        },
        {
          "status": "picked_up",
          "label": "Picked up",
          "reason": null,
          "at": "2026-10-05T13:40:00Z"
        },
        {
          "status": "at_hub",
          "label": "At Black Arrow hub",
          "reason": null,
          "at": "2026-10-05T17:05:00Z"
        },
        {
          "status": "out_for_delivery",
          "label": "Out for delivery",
          "reason": null,
          "at": "2026-10-06T05:30:00Z"
        }
      ]
    }
  ],
  "not_found": [
    "BA26-P3R8T1V"
  ]
}
```

Responses

`200`	The orders found, in the order you asked for them.
`401`	Missing, unknown or revoked API key.
`422`	A parameter was missing or invalid. `details` names each field.
`429`	More than 120 requests in a minute on this key. Wait for `Retry-After` seconds.

Mark orders ready for pickup

`POST` `/orders/ready`

Tells us these parcels are packed and a rider can collect them. Up to 100 orders per call. Each order is reported on its own, and one that cannot move does not stop the others.

Outcomes: `ready` (moved), `already_ready`, `not_allowed` (it has already moved on), `not_found`, and `not_verified` (your account is still pending verification).

Parameters

Field	In	Type	Required	Description
`Idempotency-Key`	header	string	Yes	A unique value per logical write; your own order id works well. A retry with the same key and body replays the original response, with `Idempotent-Replay: true`. The same key with a different body gets `409 idempotency_key_reused`. Keys are remembered for 24 hours. Up to 255 characters.

Request body (JSON)

Field	Type	Required	Description
`tracking_numbers`	array of string	Yes	At most 100 items.

Example request

```
curl -X POST "https://api.blackarrow.com.pk/api/v1/orders/ready" \
  -H "Authorization: Bearer $BLACK_ARROW_KEY" \
  -H "Idempotency-Key: SO-1001" \
  -H "Content-Type: application/json" \
  -d '{
  "tracking_numbers": [
    "BA26-K7Q2M9X",
    "BA26-P3R8T1V"
```

```
  ]
}'
```

Example response (200)

```
{
  "data": {
    "ready_count": 1,
    "results": [
      {
        "tracking_number": "BA26-K7Q2M9X",
        "outcome": "ready",
        "message": "Marked ready for pickup."
      },
      {
        "tracking_number": "BA26-P3R8T1V",
        "outcome": "not_found",
        "message": "No such order."
      }
    ]
  }
}
```

Responses

`200`	Per-order outcomes.
`400`	The write had no Idempotency-Key header.
`401`	Missing, unknown or revoked API key.
`409`	The Idempotency-Key was already used with a different body (`idempotency_key_reused`), or an identical request is still running (`idempotency_request_in_flight` ; retry shortly).
`422`	A parameter was missing or invalid. `details` names each field.
`429`	More than 120 requests in a minute on this key. Wait for `Retry-After` seconds.

Get an order

`GET` `/orders/{tracking_number}`

One order with its full timeline.

Parameters

Field	In	Type	Required	Description
`tracking_number`	path	string	Yes	The tracking number from **Create an order**.

Example request

```
curl "https://api.blackarrow.com.pk/api/v1/orders/BA26-K7Q2M9X" \
  -H "Authorization: Bearer $BLACK_ARROW_KEY"
```

Example response (200)

```
{
  "data": {
    "tracking_number": "BA26-K7Q2M9X",
    "merchant_ref": "SO-1001",
    "status": "out_for_delivery",
    "status_label": "Out for delivery",
    "payment_type": "cod",
    "cod_amount": 2500,
    "delivery_fee": 180,
    "recipient": {
      "name": "Ayesha Khan",
      "phone": "03001234567",
      "address": "House 12, Street 4, DHA Phase 5, Lahore",
      "landmark": "Near Park View",
      "notes": "Call from the gate",
      "location_url": null
    },
    "area_id": 42,
    "package_description": "2x cotton kurta",
    "weight_grams": 800,
    "pieces": 1,
    "attempts": {
      "made": 0,
      "max": 3
    },
    "tracking_url": "https://blackarrow.com.pk/track/BA26-K7Q2M9X",
    "created_at": "2026-10-05T07:12:00Z",
    "delivered_at": null,
    "timeline": [
      {
        "status": "created",
        "label": "Created",
        "reason": null,
        "at": "2026-10-05T07:12:00Z"
```

```
      },
      {
        "status": "ready_for_pickup",
        "label": "Ready for pickup",
        "reason": null,
        "at": "2026-10-05T09:00:00Z"
      },
      {
        "status": "picked_up",
        "label": "Picked up",
        "reason": null,
        "at": "2026-10-05T13:40:00Z"
      },
      {
        "status": "at_hub",
        "label": "At Black Arrow hub",
        "reason": null,
        "at": "2026-10-05T17:05:00Z"
      },
      {
        "status": "out_for_delivery",
        "label": "Out for delivery",
        "reason": null,
        "at": "2026-10-06T05:30:00Z"
      }
    ]
  }
}
```

Responses

200	The order.
401	Missing, unknown or revoked API key.
404	No order with that tracking number on your account. An order that belongs to another merchant gets exactly the same answer.
429	More than 120 requests in a minute on this key. Wait for `Retry-After` seconds.

Download a shipping label

`GET` `/orders/{tracking_number}/label`

The printable airway bill as a PDF. Stick it on the parcel before pickup.

Parameters

Field	In	Type	Required	Description
`tracking_number`	path	string	Yes	The tracking number from **Create an order**.
`format`	query	string	No	`thermal` for a 4×6 label printer, `a4` or `a4_pro` for a sheet printer. One of: `thermal`, `a4`, `a4_pro`. Default `thermal`.

Example request

```
curl "https://api.blackarrow.com.pk/api/v1/orders/BA26-K7Q2M9X/label" \
  -H "Authorization: Bearer $BLACK_ARROW_KEY"
```

Responses

`200`	The label.
`401`	Missing, unknown or revoked API key.
`404`	No order with that tracking number on your account. An order that belongs to another merchant gets exactly the same answer.
`429`	More than 120 requests in a minute on this key. Wait for `Retry-After` seconds.

Cancel an order

`POST` `/orders/{tracking_number}/cancel`

Cancels an order that has not been picked up yet (`created` or `ready_for_pickup`). The order stays readable as `cancelled`, and you are not charged for it. Once a rider has collected the parcel it can no longer be cancelled, and you get `409 order_not_cancellable`.

Parameters

Field	In	Type	Required	Description
`tracking_number`	path	string	Yes	The tracking number from **Create an order**.
`Idempotency-Key`	header	string	Yes	A unique value per logical write; your own order id works well. A retry with the same key and body replays the original response, with `Idempotent-Replay: true`. The same key with a different body gets `409 idempotency_key_reused`. Keys are remembered for 24 hours. Up to 255 characters.

Example request

```
curl -X POST "https://api.blackarrow.com.pk/api/v1/orders/BA26-K7Q2M9X/cancel" \
  -H "Authorization: Bearer $BLACK_ARROW_KEY" \
  -H "Idempotency-Key: SO-1001"
```

Example response (200)


```
{
  "data": {
    "tracking_number": "BA26-K7Q2M9X",
    "merchant_ref": "SO-1001",
    "status": "cancelled",
    "status_label": "Cancelled",
    "payment_type": "cod",
    "cod_amount": 2500,
    "delivery_fee": 180,
    "recipient": {
      "name": "Ayesha Khan",
      "phone": "03001234567",
      "address": "House 12, Street 4, DHA Phase 5, Lahore",
      "landmark": "Near Park View",
      "notes": "Call from the gate",
      "location_url": null
    },
    "area_id": 42,
    "package_description": "2x cotton kurta",
    "weight_grams": 800,
    "pieces": 1,
    "attempts": {
      "made": 0,
      "max": 3
    },
    "tracking_url": "https://blackarrow.com.pk/track/BA26-K7Q2M9X",
    "created_at": "2026-10-05T07:12:00Z",
    "delivered_at": null,
    "timeline": [
      {
        "status": "created",
        "label": "Created",
        "reason": null,
        "at": "2026-10-05T07:12:00Z"
      },
      {
        "status": "cancelled",
        "label": "Cancelled",
        "reason": null,
```

```
        "at": "2026-10-05T08:00:00Z"
      }
    ]
  }
}
```

Responses

200	Cancelled.
400	The write had no Idempotency-Key header.
401	Missing, unknown or revoked API key.
404	No order with that tracking number on your account. An order that belongs to another merchant gets exactly the same answer.
409	Already picked up, or the Idempotency-Key was reused.
429	More than 120 requests in a minute on this key. Wait for `Retry-After` seconds.

12. Reference

Lookups for building a valid order.

List order statuses

`GET` `/statuses`

Every value `status` can take, with a label and what it means. The list can grow; it never renames or removes a value within v1.

Example request

```
curl "https://api.blackarrow.com.pk/api/v1/statuses" \
  -H "Authorization: Bearer $BLACK_ARROW_KEY"
```

Example response (200)

```
{
  "data": [
    {
      "status": "created",
      "label": "Created",
      "description": "Booked. Still with you; mark it ready when it is packed."
    },
    {
      "status": "ready_for_pickup",
      "label": "Ready for pickup",
      "description": "Packed and waiting for a rider to collect it."
    },
    {
      "status": "picked_up",
      "label": "Picked up",
      "description": "Collected from you by a rider."
    }
  ]
}
```

Responses

`200`	The statuses.

`401`	Missing, unknown or revoked API key.

List cities

`GET` `/cities`

The cities you can book orders in. Today that is your own city: we deliver within the city a parcel is collected from, so the one city is both a pickup and a delivery city. If your city is not served yet, the list is empty. The `name` is what to send as `city` on an order.

Example request

```
curl "https://api.blackarrow.com.pk/api/v1/cities" \
  -H "Authorization: Bearer $BLACK_ARROW_KEY"
```

Example response (200)

```
{
  "data": [
    {
      "id": 1,
      "name": "Lahore",
      "is_pickup_city": true,
      "is_delivery_city": true
    }
  ]
}
```

Responses

`200`	Cities you can book in.
`401`	Missing, unknown or revoked API key.

List delivery areas

`GET` `/areas`

The areas we deliver to in your city. Sending `area_id` on an order is optional, but it skips our address matching and gets the parcel routed sooner.

Example request

```
curl "https://api.blackarrow.com.pk/api/v1/areas" \
  -H "Authorization: Bearer $BLACK_ARROW_KEY"
```

Example response (200)

```
{
  "data": [
    {
      "id": 42,
      "name": "DHA Phase 5",
      "cod_allowed": true
    },
    {
      "id": 57,
      "name": "Gulberg III",
      "cod_allowed": true
    }
  ]
}
```

Responses

`200`	Serviceable areas.
`401`	Missing, unknown or revoked API key.

List pickup addresses

`GET` `/pickup-addresses`

Where riders can collect from. Send `pickup_address_id` on an order to use one other than your default. Add or change addresses in the dashboard.

Example request

```
curl "https://api.blackarrow.com.pk/api/v1/pickup-addresses" \
  -H "Authorization: Bearer $BLACK_ARROW_KEY"
```

Example response (200)

```
{
  "data": [
```

```
    {
      "id": 7,
      "label": "Warehouse",
      "address": "Plot 21, Industrial Area, Kot Lakhpat",
      "is_default": true
    }
  ]
}
```

Responses

200	Your pickup addresses, default first.
401	Missing, unknown or revoked API key.